



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61F 13/02	A1	(11) International Publication Number: WO 98/13000 (43) International Publication Date: 2 April 1998 (02.04.98)
<p>(21) International Application Number: PCT/US97/15957</p> <p>(22) International Filing Date: 9 September 1997 (09.09.97)</p> <p>(30) Priority Data: 08/719,937 25 September 1996 (25.09.96) US</p> <p>(71) Applicant: MINNESOTA MINING AND MANUFACTURING COMPANY [US/US]; 3M Center, P.O. Box 33427, Saint Paul, MN 55133-3427 (US).</p> <p>(72) Inventors: DUNSHEE, Wayne, K.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US). BROWN, Mary, L.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US).</p> <p>(74) Agents: DEVINE, Amy, E. et al.; Minnesota Mining and Manufacturing Company, Office of Intellectual Property Counsel, P.O. Box 33427, Saint Paul, MN 55133-3427 (US).</p>		<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p>Published <i>With international search report.</i></p>
<p>(54) Title: WOUND DRESSING</p> <p>(57) Abstract</p> <p>A flexible sheet material for covering wounds, comprising at least two regions. The first region is in contact with the wound, and facilitates healing of the wound. The second region surrounds the first region and comprises an antimicrobial agent to inhibit or prevent the migration of microorganisms from the external environment to the first region.</p> <div data-bbox="841 1100 1396 1537" data-label="Image"> </div>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

WOUND DRESSINGField of the Invention

The present invention relates to a flexible sheet
5 material for covering wounds. The flexible sheet
material includes an antimicrobial agent.

Background of the Invention

Various materials are commonly used to cover a
10 wound while the wound heals. These materials provide a
protective layer over the wound, facilitating healing in
a moist environment while acting as a barrier to liquids
and microorganisms.

In typical wound dressings, an absorbant material
15 is held in place over the wound by a piece of tape. The
absorbant material may or may not comprise a medicament.
A typical wound dressing in which the absorbant material
comprises a medicament is disclosed in U.S. Pat. No.
4,728,323 (Matson). These antimicrobial wound dressings
20 are prepared by vapor coating or sputter etching certain
silver salts onto a variety of wound dressing
substrates.

Alternatively, the wound dressing may comprise a
film or tape wherein a substantial portion of the film
25 or tape is covered by an adhesive with an antimicrobial
agent dispersed throughout or complexed to the adhesive.
Such wound dressings are disclosed in U.S. Pat. No.
4,310,509 (Berglund, et al.) and U.S. Pat. No. 4,323,557
(Rosso, et al.), respectively.

30

Summary of the Invention

The present invention provides a flexible sheet
material having a plurality of edges and comprising a
backing and a dermatologically acceptable pressure-
35 sensitive adhesive covering at least a portion of the
backing and for adhering the sheet material to skin, the

sheet material being defined by at least two regions including:

- 5 a) a first region having a first surface opposite the backing adapted for contact with a wound and for facilitating cell regeneration in and therefore healing of the wound, the first region being removed from the edges of the flexible sheet material; and
- 10 b) a second region substantially surrounding the first region and having a second surface opposite the backing, the second region comprising an antimicrobial agent available at the second surface in an amount which is greater than that which facilitates wound cell regeneration and is at least
- 15 sufficient to inhibit or essentially prevent migration of microorganisms to the first region from the external environment along the interface between the sheet material and skin to which the sheet material has been adhered.

20

The first region preferably comprises cell growth-enhancing agents. The first region also preferably provides a void space for wound exudate. A wound often secretes fluids during the healing process, and this

25 void space provides an area into which the wound exudate may flow.

The flexible sheet material of the invention may additionally include an intermediate region between the first and second regions. This intermediate region may

30 simply comprise the uncoated backing of the flexible sheet material. Alternatively, a dermatologically acceptable pressure sensitive adhesive may be applied to the backing in the intermediate region, and this adhesive may or may not comprise an antimicrobial agent

35 or a medicament of some type. If this intermediate region comprises the same antimicrobial agent as is in

the second region, this antimicrobial agent will be present at a lower concentration than that of the second region.

5 Brief Description of the Drawings

The invention will be more fully explained with reference to the following drawings in which:

Figure 1 is a top plan view of an illustrative embodiment of the invention.

10 Figure 2 is a top plan view of an alternative embodiment of the invention.

Figure 3 is a partial breakaway view of an embodiment of the invention.

15 These figures, which are idealized, are not to scale and are intended to be merely illustrative and non-limiting.

Detailed Description of Preferred Embodiments

20 Wound dressing 10 comprises backing 16, pressure-sensitive adhesive layer 14 coated on a portion of backing 16, and an absorbant web or other material 12 to provide a void space for wound exudate. The absorbant web or other material 12 is adhered to backing 16 by means of an adhesive which may or may not be an
25 extension of adhesive layer 14. Adhesive layer 14 comprises an antimicrobial agent which is available at the surface of adhesive layer 14 to inhibit or essentially prevent migration of microorganisms from the external environment to web 12.

30 The first region of wound dressing 10 comprises web 12, and the portions of any adhesive layer and backing 16 directly underlying web 12. The exposed surface of web 12 is considered to be the first surface of the first region as defined in the instant claims.

35 The second region of wound dressing 10 comprises the portions of the adhesive layer 14 and backing 16

extending beyond and not underlying web 12. The exposed surface of adhesive layer 14 is considered to be the first surface of the second region as defined in the instant claims.

5 It may be desirable to include a barrier layer to inhibit or prevent any antimicrobial contained in the adhesive layer underlying web or other material 12 from migrating to the exposed surface of web or other material 12. Typically, the barrier, which is positioned
10 between web or other material 12 and the underlying adhesive layer, comprises a polymeric film on the order of about 5 to 10 micrometers which is substantially impermeable to the antimicrobial agent.

 Figure 2 illustrates a top plan view of an
15 alternative embodiment 10' of the invention further comprising optional intermediate region 18.

 Figure 3 depicts a partial breakaway view of an embodiment 10'' of the invention. In this embodiment, second region 14 extends to the outer edge of the
20 flexible sheet material.

 The backing 16 is preferably flexible, yet possesses sufficient structural integrity to provide a durable wound dressing. The backing should not cause or contribute to the degradation of the adhesive. The
25 backing is preferably permeable to air and moisture vapor. The backing is also preferably substantially impermeable to liquids and microorganisms.

 Examples of suitable materials for backing include, but are not limited to, polyurethanes, polyesters, and
30 vinyls. The preferred thickness of the backing will depend on which material is used and whether the backing is a solid film or a foam. Typical thicknesses range from about 10 micrometers for a thin film backing to about 800 micrometers for a foam backing.

35 The pressure sensitive adhesive used in the wound dressing of the invention should adhere well to skin,

and be dermatologically acceptable. Additionally, the adhesive should be such as to allow the antimicrobial agent to be added thereto, without causing degradation of the antimicrobial agent. Typical adhesives used in the flexible sheet material of the invention may include, but are not limited to, acrylate adhesives, rubber-based adhesives, and silicone-based adhesives.

The combination of adhesive and backing should have a moisture vapor transmission rate of at least about 300 grams/m²/24 hours, and more preferably a moisture vapor transmission rate of at least about 500 grams/m²/24 hours.

The absorbant web or other material 12 present in the first region of the wound dressing preferably includes a material with substantial void space. Such a void space provides an area for the wound exudate to flow into. Examples of suitable materials include but are not limited to fibers of cotton, rayon, or other cellulosic materials, polyolefins, polyesters, and combinations thereof.

Additionally, absorbant web or other material 12 preferably comprises a mild antimicrobial, and/or cell growth enhancing agents, and/or other medicaments. Any antimicrobial agent present in the absorbant web or other material 12 is typically a mild antimicrobial, or the same antimicrobial agent as is in the second region but at a much lower concentration. Any antimicrobial and amount thereof selected for inclusion in absorbant web or other material 12 should be compatible for direct contact with a wound. Examples of other medicaments suitable for use in the absorbant web or other material 12 include but are not limited to fungicides, anti-acne agents, antioxidants, antibiotics, and cosmetic astringents.

Antimicrobial agents which may be present in pressure-sensitive adhesive layer 14 in the second

region of wound dressing 10 include cosmetic biocides. Examples of suitable antimicrobial agents include but are not limited to iodine, hydrogen peroxide, benalkonium chloride, and aluminum chlorohydrate. One
5 of ordinary skill in the art will readily be able to select an appropriate amount of the selected antimicrobial for inclusion in adhesive layer 14.

Examples

10

Example 1

A strip of 2.5 x 7.6 cm Microfoam™ Tape commercially available from 3M was cut. Then a 0.3 cm
15 wide band of Ioban™ 2 6650 Antimicrobial Film commercially available from 3M was cut and applied to the outside edge of the adhesive on the Microfoam™ Tape. The liner was removed to expose the adhesive surface of the antimicrobial film. Then a 1.9 x 2.5 cm piece of
20 125.45 g/m², 90/10 poly propylene/rayon blend single side laminated with 530 P™ high density polyethylene netting (the entire construction commercially available from Applied Extrusion Technologies (AET), Middletown, DE) was placed in the center of the adhesive side of the
25 Microfoam™ Tape. A solution of Benzalkonium Chloride (BTC 50 USP) commercially available from Stepan Company, Northfield, IL (0.13% wt/wt in Ethanol/water) was added to the pad to a concentration of 0.13 wt/wt%.

30 Example 2

A strip of 4 x 10 cm piece of melt blown polyurethane tape commercially available from Medical Specialties Division of 3M Company may be cut. A 1 cm

wide ring of PVP-Iodine™ 30/06 commercially available from BASF Corporation, Parsippany, NJ (10% wt/wt in Ethanol) is then painted onto the adhesive side of the strip of melt blown polyurethane tape using a cotton
5 swab. The ring is placed 0.6 cm inside of the outer perimeter of the piece of melt blown polyurethane tape. A 1 x 4 cm piece of 530 P™ high density polyethylene netting commercially available from Applied Extrusion Technologies (AET), Middletown, DE, that was vapor
10 coated with silver chloride according to U.S. Pat. No. 4,728,323 is then placed inside the ring of PVP-Iodine at the center of the adhesive side of the piece of melt blown polyurethane tape.

15 **Example 3**

A 6.3 x 8.3 cm piece of Tegaderm™ HP Transparent Dressing commercially available from 3M was cut. Then a 1 cm ring of PVP stabilized Peroxide (PVP/02-1™)
20 solution commercially available from ISP Technologies, Inc., Wayne, NJ (5% wt/wt in Ethanol) was painted on using a cotton swab to the adhesive side of the tape. The ring was placed 0.6 cm inside the outer perimeter of the tape. A 2.5 x 2.5 cm pad of melt blown
25 polypropylene was placed in the center of the adhesive side of the Tegaderm™ HP Transparent Dressing. A solution of Benzalkonium Chloride (BTC 50 USP) commercially available from Stepan Company, Northfield, IL (0.13% wt/wt in Ethanol/water) was added to the pad
30 to a concentration of 0.13 wt/wt%.

Example 4

A 3 x 9 cm piece of Ioban™ 2 6650 Antimicrobial Film commercially available from 3M was cut. Then a 1.3 x 3.8 cm piece of 108.5 g/m², rayon double side laminated with 530 P high density polyethylene netting (the entire construction commercially available from Applied Extrusion Technologies (AET), Middletown, DE) was placed in the center of the adhesive side of the antimicrobial film. A solution of Benzalkonium Chloride (BTC 50 USP) commercially available from Stepan Company, Northfield, IL (0.13% wt/wt in Ethanol/water) was added to the pad to a concentration of 0.13 wt/wt%.

Example 5

A 3 x 9 cm piece of Ioban™ 2 6650 Antimicrobial Film commercially available from 3M was cut. Then a 1.3 x 3.8 cm piece of 108.5 g/m², rayon double side laminated with 530 P high density polyethylene netting (the entire construction commercially available from Applied Extrusion Technologies (AET), Middletown, DE), was placed in the center of the adhesive side of the antimicrobial film. A solution of PVP-Iodine™ 30/06 commercially available from BASF Corporation, Parsippany, NJ (10% wt/wt in Ethanol) was added to the pad to a concentration of 10 wt/wt%.

Example 6

30

A 3 x 9 cm piece of Tegaderm™ Dressing commercially available from 3M was cut. Then a 1.3 x 3.8 cm piece of 108.5 g/m², rayon double side laminated with 530 P™ high density polyethylene netting (the entire construction commercially available from Applied Extrusion

Technologies (AET), Middletown, DE) was placed in the center of the adhesive side of the Tegaderm™ Dressing. Then a 1 cm ring of PVP Stabilized Peroxide (PVP/02-1™) solution commercially available from ISP Technologies, Inc., Wayne, NJ (5% wt/wt in Ethanol) was painted on using a cotton swab to the adhesive side of the tape. The ring was around the perimeter of the pad. A solution of Benzalkonium Chloride (BTC 50 USP) commercially available from Stepan Company, Northfield, IL (0.13% wt/wt in Ethanol/water) was added to the pad to a concentration of 0.13 wt/wt%.

Example 7

15 A 3 x 9 cm piece of Tegaderm™ Dressing commercially available from 3M was cut. Then a 1.3 x 3.8 cm piece of 108.5 g/m², rayon double side laminated with 530 P™ high density polyethylene netting (the entire construction commercially available from Applied Extrusion Technologies (AET), Middletown, DE), was placed in the center of the adhesive side of the Tegaderm™ Dressing. Then a 1 cm ring of PVP Stabilized Peroxide (PVP/02-1™) solution commercially available from ISP Technologies, Inc., Wayne, NJ (5% wt/wt in Ethanol) was painted on using a cotton swab to the adhesive side of the tape. The ring was around the perimeter of the pad. A solution of PVP-Iodine™ 30/06 commercially available from BASF Corporation, Parsippany, NJ (10% wt/wt in Ethanol) was added to the pad to a concentration of 10 wt/wt%.

Claims:

1. A flexible sheet material having a plurality of edges and comprising a backing and a dermatologically acceptable pressure-sensitive adhesive covering at least a portion of said backing and for adhering said sheet material to skin, said sheet material being defined by at least two regions including:

10 a) a first region having a first surface opposite said backing adapted for contact with a wound and for facilitating cell regeneration in and therefore healing of said wound, said first region being removed from said edges of said flexible sheet material; and

15 b) a second region substantially surrounding said first region and having a second surface opposite said backing, said second region comprising an antimicrobial agent available at said second surface in an amount which is greater than that
20 which facilitates wound cell regeneration and is at least sufficient to inhibit or essentially prevent migration of microorganisms to said first region from the external environment along the interface between said sheet material and skin to which said
25 sheet material has been adhered.

2. The flexible sheet material of claim 1, wherein said first region includes a material providing a void space for wound exudate.

30

3. The flexible sheet material of claim 1, wherein said first surface of said first region is substantially free of said antimicrobial agent contained in said second region.

35

4. The flexible sheet material of claim 1, wherein said first region and said second region are substantially concentric.
- 5 5. The flexible sheet material of claim 1, further comprising an intermediate region separating said first region and said second region.
6. The flexible sheet material of claim 5, wherein said
10 intermediate region is substantially free of said antimicrobial agent contained in said second region.
7. The flexible sheet material of claim 1, wherein said second region extends to said edges of said flexible
15 sheet material.
8. The flexible sheet material of claim 2, wherein said first region comprises at least one agent compatible for direct wound contact.
20
9. The flexible sheet material of claim 1, wherein said second region comprises a pressure-sensitive adhesive comprising said antimicrobial agent dispersed throughout or complexed to said adhesive.
25
10. The flexible sheet material of claim 1, wherein the combination of said backing and said pressure sensitive adhesive exhibit a moisture vapor transmission rate greater than about 300 gms/m²/24 hour moisture vapor
30 transmission rate.
11. The flexible sheet material of claim 1, wherein said backing is substantially impermeable to

microorganisms, but is substantially permeable to
moisture vapor.

12. The flexible sheet material of claim 1, wherein
5 said first region comprises an absorbant material.

1/1




Fig.1




Fig.2




Fig.3

INTERNATIONAL SEARCH REPORT

Inter. Application No

PCT/US 97/15957

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A61F13/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 238 685 A (WREN DAVID C) 24 August 1993 see column 4, line 1 - column 5, line 2 ---	1,3,7,8
X	US 5 520 762 A (RASMUSSEN MARK J ET AL) 28 May 1996 see column 4, line 52 - column 5, line 5; figure 7	1,3,8
A	see column 6, line 56 - line 30 see column 7, line 40 - line 46 ---	4,9,10, 12
A	EP 0 413 251 A (SQUIBB & SONS INC) 20 February 1991 see column 1, line 1 - line 4; figures 1,2 see column 2, line 43 - line 50 see column 3, line 20 - column 4, line 35 --- -/--	1-3,7,12

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

4 December 1997

Date of mailing of the international search report

19/12/1997

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Mirza, A

INTERNATIONAL SEARCH REPORT

Interr. Application No

PCT/US 97/15957

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 96 26251 A (MINNESOTA MINING & MFG) 29 August 1996 see page 4, line 15 - line 16 see page 13, line 6 - line 9 see page 14, line 27 - page 16, line 15; claims 1-12 ---	3,10-12
A	US 3 908 650 A (DUNSHEE WAYNE KEITH ET AL) 30 September 1975 see claims 1,6,10; examples ---	3,10,12
A	US 4 650 705 A (GHODSIAN KAMRAN) 17 March 1987 see column 4, line 13 - line 21; claims 1-5; figures ---	1,3
A	WO 96 26253 A (MINNESOTA MINING & MFG) 29 August 1996 see page 1, line 20 - line 26 see page 12, line 8 - line 10 -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 97/15957

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5238685 A	24-08-93	AU 628388 B AU 4206289 A DE 68912596 D DE 68912596 T DK 35591 A EP 0433354 A WO 9001954 A JP 4501067 T NO 177662 B	17-09-92 23-03-90 03-03-94 14-07-94 25-04-91 26-06-91 08-03-90 27-02-92 24-07-95
US 5520762 A	28-05-96	NONE	
EP 0413251 A	20-02-91	US 5250043 A AT 113463 T CA 2022577 A DE 69013801 D ES 2063211 T IE 65904 B JP 1852837 C JP 3139348 A NO 176387 B	05-10-93 15-11-94 17-02-91 08-12-94 01-01-95 29-11-95 21-06-94 13-06-91 19-12-94
WO 9626251 A	29-08-96	AU 4900796 A	11-09-96
US 3908650 A	30-09-75	NONE	
US 4650705 A	17-03-87	DE 3702076 A GB 2186193 A,B	13-08-87 12-08-87
WO 9626253 A	29-08-96	US 5648166 A AU 4703296 A	15-07-97 11-09-96